



Komori LITHRONE S 29 | Unkn.

Brand: KOMORI | Category: Offset Printing Presses | Ref: TECH202605da97

SOLD



MACHINE SPECIFICATION

Reference Code **TECH202605da97**

Brand **KOMORI**

Category **Offset Printing Presses**

Condition **Used**

Status **Sold**

TECHNICAL DATA

Max Sheet Size **530 x 750 mm (20.8 x 29.5 inches)**

Max Speed **16,000 sheets / hour**

Dimensions **8.0 m x 3.0 m**

Weight **22000.00 kg**

DESCRIPTION

Configuration: Multi-color sheetfed offset printing press.

Model: Komori Lithrone S29.

Year: Typically produced from mid-2000s onward (exact year depends on unit).

Machine type: B2+ format offset printing press for commercial and light packaging printing.

Number of colors: 2 to 8 units (depending on configuration).

Max paper size: 530 x 750 mm (20.8 x 29.5 inches).

Min paper size: approximately 257 x 364 mm (varies by configuration).

Max printing area: 520 x 740 mm.

Paper thickness range: approximately 0.04 mm up to 0.60 mm (depending on setup and options).

Printing system: Sheetfed offset lithographic printing system.

Inking system: Advanced Komori inking system with optimized roller configuration for high color stability.

Dampening system: Komorimatic continuous dampening system (supports low-alcohol or alcohol-free printing).

Plate changing system:

Semi-automatic or Full-APC automatic plate changing system (optional).

Max speed: up to 16,000 sheets / hour.

Feeder type: High-speed stream feeder with precise sheet control.

Delivery system: High pile delivery with optional powder spray or UV drying systems.

Registration: High-precision register system with automatic presetting and correction (KHS / KHS-AI system).

Drying system:

Powder spray standard

Optional UV / H-UV curing systems

Optional coating unit (inline varnishing).

Automation features:

KHS-AI intelligent preset system

CIP4 / JDF compatibility

Automatic wash-up systems

Remote control operation console with touchscreens.

Applications:

Commercial printing (brochures, flyers, magazines)

Packaging (cartons, covers)

Short-run and high-speed production

High-quality color printing jobs.

Machine dimensions (approx.): around 8.0 m x 3.0 m (5-color configuration with coater).

Total weight: approximately 18,000 – 22,000 kg depending on configuration.

Power supply: 380–400V industrial supply.

Power consumption: approximately 20–35 kW depending on number of units and options.

PRICE

Available on Request

INTERESTED IN THIS MACHINE?

Contact us for pricing, detailed specifications, or to schedule a viewing.

Request a Quote:

<https://technomac-snc-production.up.railway.app/machines/019df796-1ca7-7039-96c2-ba72af40a37e>

Email: info@technomac-snc.com

Website: www.technomac-snc.com

TECHNOMAC SNC

Industrial Machinery & Spare Parts Specialists

www.technomac-snc.com | info@technomac-snc.com

This document was automatically generated. All specifications are subject to verification.